



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 10

1200 Sixth Avenue, Suite 900
Seattle, WA 98101-3140

OFFICE OF
WATER AND WATERSHEDS

MEMORANDUM

SUBJECT: NPDES Permit No. AKG-31-5000 – Authorized Outfall Summary

FROM: Mike Lidgard, Manager
NPDES Permits Unit

TO: Region 10 Blue Permit Files for Identified Facilities Covered by AKG-31-5000

The purpose of this memorandum is to describe the context for the attached November 22, 2011 summary chart entitled “Cook Inlet GP (AKG-31-5000) Authorized Facilities” (Summary).

During the 2007 reissuance process of the Cook Inlet GP, the NPDES Permits Unit’s (NPU) authorization coverage letters did not typically contain express references to the discharge numbers (i.e. outfalls) that were authorized for the facility(s) identified in the respective NPU coverage letter. NPU relied on the information contained in the permit applications used in the 2006-2007 reissuance process for the purposes of identifying the authorized outfalls.

The Summary was prepared from a review of permit applications and notices of intent. It is NPU’s understanding that this Summary was used to initially populate the ICIS database for each facility.

Users of the Summary are cautioned to review the Cook Inlet GP, fact sheet, response-to-comments and related documents (e.g. permit applications) to ensure the ICIS entries accurately reflect the permit applications used during the 2006-2007 reissuance process. Users are also cautioned to review permit files for possible revisions to authorized discharges made subsequent to the completion of the Summary.